


CONVEYOR OVERVIEW

DORNER[®]
MOVE FAST. MOVE SMART.

AquaGard[™]

AquaPruf[®]




From packaging to processing, Dorner has the food industry covered. By offering three series of sanitary conveyors – *AquaGard™*, *AquaPruf®* and *AquaPruf® Ultimate* – Dorner can meet virtually any need.

To identify the series best for you, simply locate your market and application in one of the four charts below. You can then utilize the chart stretching along the bottom of the page to select your specific conveyor model.



MARKET	BAKERY • SNACK FOODS • CONFECTIONARY		
APPLICATION	PACKAGED	COOKED	RAW
RECOMMENDED PLATFORM	<i>AquaGard™</i>		



MARKET	FRUITS • VEGETABLES • NON-PROTEIN READY-TO-EAT		
APPLICATION	PACKAGED	COOKED	RAW
RECOMMENDED PLATFORM	<i>AquaGard™</i>		<i>AquaPruf®</i>

AquaGard™
(pages 6-19)

AquaPruf®
(pages 20-37)

AquaPruf®
ULTIMATE
(pages 38-41)

	Cleaning Method			Type of Cleaning Agent				Environment	
	Wipe Down	Wash Down		Water	Soap/Water	Diluted Bleach or Alcohol	Foaming Caustic	Dry	Wet
		Low Pressure	High Pressure						
7200	•	•		•	•	•		•	
7300	•	•	•	•	•	•		•	
7350	•	•		•	•	•		•	•
7360	•	•		•	•	•		•	•
7400	•	•	•	•	•	•	•	•	•
7600	•	•	•	•	•	•	•	•	•
7400U	•	•	•	•	•	•	•	•	•
7600U	•	•	•	•	•	•	•	•	•



MARKET	PROTEINS • DAIRY • READY-TO-EAT W/PROTEIN		
APPLICATION	PACKAGED	COOKED	RAW
RECOMMENDED PLATFORM	AquaPruf®		AquaPruf® Ultimate

MARKET	MEDICAL • PERSONAL CARE • PHARMACEUTICAL		
APPLICATION	PACKAGED	PROCESSED	RAW MATERIALS
RECOMMENDED PLATFORM	AquaGard™		AquaPruf®

Sanitary Features				Approvals			Belt Type	Frame Construction	Belt Width	Conveyor Lengths	Offering
Belt Lifters	Clean Out Windows	Tip Up Tail	Complete Tool-less Disassembly	FDA	Bissc	USDA Red Meat & Poultry					
				●	●		Belt	Single Piece Stainless Steel	1.75" to 18"	2' to 18'	Straight
				●	●		Belt	Single Piece Stainless Steel	1.75" to 18"	2' to 18'	Straight
				●	●		Modular Plastic	TIG Welded Stainless Steel	4" to 36"	3' to 83'	Straight/ Curve/Z-Frame
		●		●	●		Belt	TIG Welded Stainless Steel	6" to 60"	3' to 40'	Straight/ Z-Frame
●	●	●		●	●		Modular Plastic	Continuous TIG Welded Stainless Steel	6" to 60"	3' to 83'	Straight/ Curve/ Z-Frame
●	●	●		●	●		Belt	Continuous TIG Welded Stainless Steel	6" to 60"	3' to 40'	Straight/ Z-Frame
●	●	●	●	●		●	Modular Plastic	Continuous TIG Welded Stainless Steel	6" to 36"	3' to 83'	Straight/ Curve/ Z-Frame
●	●	●	●	●		●	Positive Belt Driven	Continuous TIG Welded Stainless Steel	6" to 36"	3' to 40'	Straight/ Z-Frame